



Mercedes Benz

---

1 MERCEDES-BENZ 1848 LS TRUCK 4X2 f 13 "ACTROS"  
TRUCK AB 18 T vm96340312

SPECIAL PAINT

LA1 9147 ARCTIC WHITE  
LA2 9147 ARCTIC WHITE  
LA3 9147 ARCTIC WHITE  
LA4 9147 ARCTIC WHITE  
LA5 9147 ARCTIC WHITE

LZ2 DECORATIVE GRILLE PAINTED  
LZ3 DRIVER'S ACCESSORIES PAINTED  
LZ4 PAINTED AERODYNAMIC SIDE PANELS LZ5 PAINTED  
FINISHER FLAPS

OPTIONAL EQUIPMENT:

CONTINUED ON SHEET 2

Daimler Truck AG

#### CHASSIS VERSION

VIA ACTROS  
VIW DEFAULT  
V2B ACTROS MODEL GENERATION 5  
CIW WHEELBASE 3700 MM

#### AXLE LOAD DISTRIBUTION

W9Z WEIGHT VERSION 18.0 T (7.5/11.5)

#### ENGINE

M3C ENGINE OM471, R6, 12.8 L, 350 KW (476 HP), 2300 NM M5D 3RD  
GENERATION ENGINE OM471  
ZSE OM 471  
M4X ENGINE VERSION EURO VI, E M6E  
CONSUMPTION-OPTIMIZED TURBOCHARGER  
MBB AIR INTAKE, BEHIND DRIVER'S OUT, ATTACHED M7K  
RADIATOR SHUTTER  
M7T WATER PUMP, REGULATED M5V HIGH  
PERFORMANCE ENGINE BRAKE  
M6M AIR COMPRESSOR, TWO-STAGE, CONSUMPTION  
OPTIMIZED MOE TORQUE INCREASE, IN 12TH GEAR  
M4V TORQUE BOOST, IM 7-11. CORRIDOR

#### CLUTCH & TRANSMISSION

G5A SINGLE DISC CLUTCH

CONTINUED ON SHEET

3

---

G2E TRANSMISSION G 281-12/14,93-1,0  
G5G MERCEDES POWERSHIFT 3  
G5L POWERSHIFT ADVANCED G0K DRIVING  
PROGRAM ECONOMY/POWER

AXLES & BRACKET

AIZ FRONT AXLE, CRANKED VERSION AIC FRONT  
AXLE 7.5 T  
A2E REAR AXLE, RING GEAR 440, HYPOID, 13.0 t A3D REAR AXLE  
WITH ACTIVE LUBRICATION, UNREGULATED A5G FINAL RATIO I =  
2.412 QIS FRONT SPRING 7.5 T, 2-BLADE C6Q STABILIZER, FRONT  
AXLE

WHEELS & TIRES

RIQ STEEL RIM 9.00 X 22.5 R0Z WHEEL NUT  
COVER  
SIY TIRE PRESSURE CONTROL AI  
A2 F38LBA 75 2 X 315/70 R 22.5' 4 X TL HIGHWAY RR STEERING "L" TL  
F38LCA 75 315/70 R 22.5' HIGHWAY RR "L" DRIVE

FRAME & FRAME COMPONENTS

C5B STEP PLATE OVER FRAME, PARTIAL COVER C0G  
FRAME TRANSITION 1050 MM  
C6C STEERING, 1-CIRCUIT  
C6I STEERING PUMP, REGULATED

CONTINUATION ON SHEET 4

---

C7T INTEGRAL REAR  
KOT MAIN TANK, LEFT  
K0W SECOND TANK, RIGHT  
K2D TANK 680L+120L ADBLUE,LH.,650X700X2170,AL,RISE K6K SECOND  
TANK 430 L, RIGHT,650 X 700 X 1100 MM,ALU K5M TANKS, LOCKABLE

KSS PROTECTIVE CAP FOR ADBLUE DOSING SYSTEM Z40  
TANK CROSS-SECTION, NARROW  
Z4R TANK CROSS-SECTION, HOCH  
KBD EXHAUST SYSTEM, RIGHT OUTER TAILPIPE, HORIZONTAL U2G  
EXHAUST BOX  
CBC REAR AXLE FENDER, 2500 MM VEHICLE WIDTH CBH FENDER 3  
-PIECE, WITH EG SPLASH PROTECTION CBI  
SPLASH GUARD (EG), FRONT FRONT SKID  
C7F PROTECTION (ECE), ALUMINUM UNDERBODY  
CBY PANEL, AERODYNAMIC  
F7A BUMPER, PLASTIC CORNERS  
F7C BUMPER, CENTER SECTION WITH TOWING POINTS CBZ  
SIDE TRIM, AERODYNAMIC  
Q4Z FIFTH FIFTH WHEEL, LOW MAINTENANCE, LUBRICATED LOCK Q5R  
FIFTH WHEEL STANDARD, JOST JSK 42  
Q6D MOUNTING PLATE 40 MM, 20 T Q6Z  
SADDLE BRACKET, WITH HOLES Q4I FIFTH  
WHEEL HEIGHT, H = 150 MM H2C FIFTER  
PREPASS +600 MM  
Q0W FIFTH FIFTH WHEEL AB FACTORY

CONTINUED ON SHEET

5

---



---

BRAKE SYSTEM

B2A DISC BRAKE, ON VA AND HA  
BIB ELECTRONIC BRAKE SYSTEM WITH ABS AND ASR BIF HEATER,  
ELECTRONIC COMPRESSED AIR SUPPLY UNIT BIH ELECTR. COMPRESSED  
AIR SUPPLY AND CONTROL, MEDIUM B4A CONDENSATE MONITORING,  
FOR COMPRESSED AIR SYSTEM B4M COMPRESSED AIR TANK, STEEL

B5J BRAKE AND ELECTRICAL CONNECTIONS, LOW B2X  
PARKING BRAKE, ELECTRONIC  
B3K SECONDARY OIL RETARDER

DRIVER FROM THE OUTSIDE

F1J L DRIVERHFROM GIGASPACE, 2.50 M, FLAT FLOOR FIR L  
DRIVERHFROM  
F2A FLOOR VARIANT, FLAT FLOOR F2H  
DRIVER WIDTH 2.50 M  
F2P DRIVER'S OFF, 765 MM FLOOR HEIGHT F2X  
GIGASPACE  
F4H DRIVER'S REAR PANEL, WITHOUT WINDOW  
F3C DRIVER POSITIONING, COMFORT, AIR SUSPENSION F3W  
DRIVER'S OFF TILT DEVICE, MECHANICALLY-HYDRAULICALLY  
F6C SMOKE WINDSCREEN  
FBV LIGHT SENSOR  
FBW RAIN SENSOR  
DBN ROOF, ELECTRIC  
F4X STORAGE BOX OUTER FLAP, LEFT  
F4Y STORAGE COMPARTMENT OUTER FLAP, TO THE RIGHT

CONTINUED ON SHEET

6

F4Z STORAGE BOX, LEFT UNDER DRIVER OFF  
CSD RISING, BEHIND DRIVER'S OUT, LEFT  
F7T DOOR EXTENSION  
F7X DRIVER ENTRY LEFT RIGHT, RIGID  
FBI FRONT MIRROR, HEATED  
FBT MIRRORCAM  
FBV MIRRORCAM HOLDER CHROME, BOTTOM COVER FHS COLOUR  
FSL SUN VISOR OUTSIDE, TRANSPARENT FSI TAIL  
FLOORS, WITHOUT FSY A-PILLAR TRIM, CHROME  
HORNS,  
CAB ROOF  
F0F SIDE MODULE, N3 VEHICLE 2 REMOTE CONTROL  
FBB KEYS LOCKING SYSTEM WITH CENTRAL LOCKING  
FBE COMFORT LOCKING SYSTEM  
FBF  
FBH 2 REMOTE CONTROL KEYS, EXTRA

DRIVER OFF INSIDE

dlc DRIVER SUSPENSION SEAT, COMFORT  
DIN FUNCTIONAL PASSENGER SEAT  
D2N SEAT BACK, RELEASE, BELT DRIVER'S SEAT  
D2Y CONTROL  
D3Q SEAT COVER, VELOURS, DRIVER'S SEAT  
D3T SEAT COVER, VELOURS, PASSENGER SEAT, CENTER SEAT DBX  
LOW SEAT BOX, 40 MM LOWER COMFORT BED,  
D3A TOP, WIDE, ADJUSTABLE COMFORT BED, BELOW  
DE3B  
DEM MATTRESS, PREMIUMCOMFORT, BOTTOM

CONTINUED ON SHEET 7

---

D4E MATTRESS TOPPER FOR COMFORT BED BOTTOM  
DSY RUBBER MATS, DRIVER AND PASSENGER SIDE  
DSZ CARPET, ENGINE TUNNEL  
D4S SUN ROLLER BLIND, ONE-PIECE, ELECTRIC, WINDSCREEN  
D4T FORWARD, TRANSVERSE FRONT OF BED(S)  
D4Y ROLLER BLIND, LATERALLY, DRIVER'S SIDE  
J10 TACHOGRAPH DIGITAL, 2. GENERATION, ADDR  
J1S TACHOGRAPH MANUFACTURER VDO  
JBS MULTIMEDIA COCKPIT, INTERACTIVE  
J6Y REMOTE ONLINE  
J6Z PRE-INSTALLATION MERCEDES-BENZ TRUCK APP PORTAL J2K  
SPEAKER, 2-WAY SYSTEM  
J2U NAVIGATION SYSTEM  
J3U PREREQUISITES FLEETBOARD MANAGER APP J3V  
TRUCK DATA CENTER 7  
JBY PRE-INSTALLATION FOR TRUCK DATA CENTER 7 J9D  
PRE-INSTALLATION FOR TULLE REGISTRATION  
J9A CB RADIO PRE-INSTALLATION, 12 V, DIN-SOCKET  
E3B CONNECTION POINT 12 V/15 A, FOR ADDITIONAL CONSUMER E3M  
SOCKET 24 V/15 A, REAR SEAT  
E3R POWER SOCKET 24 V/25 A, E2J PASSENGER FOOTWELL  
CIRCUITS  
ESH SWITCH NIGHT LIGHTS  
ESK SWITCH MIRRORCAM, AM BETT  
E9G PRE-INSTALLATION FOR ELECTRICAL EQUIPMENT  
DSE LED AMBIENT LIGHTING ADDITIONAL HOT  
DBM WATER HEATING, RESIDUAL HEAT USE IN CAB  
DBI  
D6V NOISE AND HEAT INSULATION DRIVER OFF

CONTINUED ON SHEET 8th

D6C ELECTRICAL PARKING AIR  
D6G CONDITIONING AUTOMATIC  
D7G STORAGE COMPARTMENT, DRIVER- AND PASSENGER SIDE  
D7J DRAWERS, UNDER BETT  
D7K DRAWER, UNDER BARRIER  
D7R STORAGE FLAPS, ABOVE WINDSCREEN  
YIX FRIDGE, IN DRAWER UNDER BETT  
DOS COMPRESSED AIR CONNECTION, IN THE DRIVER'S OFF  
D4Q SHAVING MIRROR

ELECTRICAL / ELECTRONICS

EIZ AGM BATTERIES, 2 X 12 V/220 AH, MAINTENANCE FREE  
EIU GENERATOR, REGULATED 24-30 V/150 A E7F  
WIRED REMOTE CONTROL FOR AIR SUSPENSION E6A  
ATTACHMENT SOCKET 24 V, 15-POLE LIC LED  
DAYTIME RUNNING LIGHTS  
LID AUTOMATIC HEADLIGHTS AND TURNING LIGHTS LIH FOG  
LIGHTS, NALOGEN  
L3F 1 LED WORK LIGHTS BOTTOM, CENTER L2H SIDE  
MARKER LIGHTS, FLASHING LIW LED INDICATORS IN  
LIGHT SIGNATURE LOA LIGHTING REGULATION, ACC  
UN R 48.06  
S5A OVERSPEED LIMITER 90 KM/H / 56 MPH, ECE G0T PREDICTIVE  
POWERTRAIN CONTROL  
SID STABILITY RULE ASSISTANT (ESP) LANE  
SIH KEEPING ASSIST  
SL ATTENTION ASSIST TRAFFIC SIGN  
S1O ASSIST

CONTINUED ON SHEET

9





Mercedes Benz

X2E ID PLATE, EU  
Z5X LEFT-HAND DRIVE  
Z5Y VEHICLE, FOR RIGHT-HAND TRAFFIC

SLW ACTIVE BRAKE ASSIST 5 S5Z  
TEMPOMAT

#### ADDITIONAL DELIVERIES

O3J CLIMATE PACKAGE WITH NOISE/HEAT INSULATION OBI  
ECONOMY PACKAGE  
moelOWER SCALE, AGAINST DUST RAISING  
M0Q NOISE REGULATION, ACCORDING TO UN-R 51.03 LEVEL 2  
SBA FIRST AID BAG  
SBC WARNING TRIANGLE  
SBD WARNING LAMP  
SBE HIGH VISIBILITY VEST  
Y4Y TIRE INFLATION HOSE  
Y4Z COMPRESSED AIR GUN, WITH HOSE  
Y4H HALTER, FOR WHEEL CHOCK 1 WHEEL  
Y4I CHOCK  
D0L SMOKING PACKAGE  
O3R ACTROS L  
O7L CHROME RAKET, INTERIOR  
V0S VEHICLE CLASS N3  
V6A MINIMUM EQUIPMENT, SEMI-TRAITOR UNITS  
V7B BODY TYPE CURTAINSIDER  
VBA CHASSIS NUMBER FIN  
X2S TEST BOOK  
X2Z REGISTRATION CERTIFICATE, PART II (LETTER)  
X30 MERCEDES-BENZ ONROADSERVICE  
X3W ATS TERMS AND CONDITIONS WARRANTY, 3 YEARS/450,000 KM  
V9F TECHNICAL CHANGES MODEL YEAR APRIL

**Daimler Truck AG**

---